GOVERNMENT OF ANDHRA PRADESH
ABSTRACT

Public Services – Water Resources Department – Vigilance and Enforcement Report – Verification of works "AVRHNSS Sodum Distributary from KM 0.00 to KM 43.20 and Yarrathivaripally Distributory from KM 0.00 to KM 6.80 KM including construction of CM&CD works and disrtibutary system to feed an ayacut of 5400 acres in Kariff ID"– Disciplinary proceedings against certain Engineers of Water Resources Department under Rule 20 of APCS(CC&A) Rules, 1991 - Appointment of the Engineer-in-Chief(AW), Water Resources Department, Vijayawada as Inquiring Authority – Orders- Issued.

WATER RESOURCES (Vig.II-V&E.1) DEPARTMENT

G.O.RT.No. 288 Dated: 18-04-2018

Read the following:-

1	From the Director General (Vig.&Enft.) & E.O. Prl. Secy.to Govt., G.A.D. Vigilance Report No. 55 (1388 /V&E/E1/2012), dated:14.05.2013.
2	G.O.Rt.Nos.488-491,Water Resources(Vig.II(V&E-1)) Department., dated:01.09.2017
3	From Sri G.Chitti Babu, CE (Retd), Written statement of defence, dated:01.11.2017
4	From Sri K.Ramakrishna Reddy, SE, Written statement of defence, dated:01.11.2017
5	Sri G.Venkata Kishore, AEE, Written statement of defence, dated:01.11.2017

<<<>>>.

O R D E R

Whereas, an enquiry under Rule 20 of the Andhra Pradesh Civil Services (Classification, Control and Appeal) Rules, 1991 is being held against the following (3) charged officers:-

Sl. No.	Name of the officer and Designation
1.	Sri G.Chitti Babu, CE (Retd),
2.	Sri K.Ramakrishna Reddy, SE,
3.	Sri G.Venkata Kishore, AEE,

2. And whereas, it is considered that an Inquiring Authority should be appointed to inquire into the charges framed against the above said (3) officers.

3. Now, therefore, in exercise of the powers conferred by Sub-rule(2) of Rule 20 of the said rules, the disciplinary Authority hereby appoints the Engineer-in-Chief (AW), Water Resources Department, Vijayawada as the Inquiring Authority to inquire into the charges framed against the above said three(3) charged officers.

(p.t.o.)

4. Copies of reports, charge Memoranda and Written Statements of Defence submitted by the Charged Officers are forwarded herewith to the Inquiry Officer. The Presenting Officer will produce other original documents relating to the case before the Inquiry Officer. The Inquiry Officer is requested to complete the enquiry and submit his report within two months in the prescribed proforma, as per the orders issued in G.O.Ms.No.679, G.A. (Ser.C) Department, dated 01.11.2008 and Circular Memo No.56183/Ser.C/99,G.A. (Ser.C) Department, dated 15.10.1999.

(BY ORDER AND IN THE NAME OF THE GOVERNOR OF ANDHRA PRADESH)

SHASHI BHUSHAN KUMAR
SECRETARY TO GOVERNMENT

To
The individuals **through** the Engineer-in-Chief(AW), Water Resources Department, Vijayawada.
The Engineer-in-Chief(AW), Water Resources Department, Vijayawada and the Inquiring Authority in this case(w.e).

Copy to:-
The Engineer-in-Chief(AW), Water Resources Department, Vijayawada for information with a request to submit the dated acknowledgements of the Charged Officers to Government without any delay.
The Chief Engineer, Quality Control, Rayalaseema Region and Presenting Officer in this case.
SF/SC.

// FORWARDED :: BY ORDER //

SECTION OFFICER